

## Job Site Safety Analysis (JSA)

## **Required Personal Protective Equipment (PPE)**

- Closed-toed, non-slip shoes
- Tight-fitting clothing (non-loose)
- Safety glasses
- Hair ties (for tying back loose hair, as needed)
- At least one other UWROV employee to supervise and assist in operations

All jobsite operations are done with the supervision of **UWROV's safety officer**. The safety officer's role is to ensure that employees are complying with jobsite safety protocols.

Tasks	Job Step	Potential Hazards	Controls	Persons Responsible
Pre-Launch Inspection	Pressure Hold Inspection	Electrocution	<ol> <li>Move all electrical components away from the splash zone.</li> <li>Kill power immediately with indication of any electrical issues via main control or kill switch on control box.</li> <li>Ensure that there are no loose parts or fluids in the pressure hold before sealing.</li> </ol>	Deployment Team
	Tether Setup	Tripping over the tether	<ol> <li>No running is allowed near the pool.</li> <li>Ensure tether is laid out neatly with no knots or tangles.</li> <li>Make sure all students acknowledge the location of the tether.</li> </ol>	Deployment Team, Observers
	Control Box Setup	Electrocution	<ol> <li>The control box must be placed on a level, stable surface.</li> <li>Verify that control box connectors are screwed</li> </ol>	Pilots

Poolside Check ROV Deployment	Falling/slipping Drowning  Back, shoulder, and/or arm strain  Hand/skin injury	<ol> <li>All students must be clear of the ROV before control is enabled.</li> <li>Clear the poolside of all loose objects/debris.</li> <li>Make sure all students acknowledge the location of the tether.</li> <li>When moving ROV, squat down by bending at the knees, not the waist.</li> <li>Make careful, slow movements.</li> <li>Avoid overexertion by moving in teams if needed.</li> <li>Have a spotter to ensure</li> </ol>	Deployment Team, Observers  Deployment Team, Observers
Personal Protection Equipment Check	Falling/slipping Pinching or catching of hair, fingers, or	in tightly  3. Ensure battery and power supply are completely dry and away from the poolside.  1. Ensure that all members have proper PPE and attire.  2. No running is allowed near the pool.	Deployment Team, Pilots, Observers

			loose or fallen off from the ROV.  3. Ensure all electrical connections on the ROV are secure.  4. Verify that no employees are directly touching the ROV.  5. All students must be clear of the ROV before control is enabled.  6. AFTER COMPLETING THE PREVIOUS 5 CHECKS, announce "POWER ON" before turning on the ROV.	
	In-operation ROV Procedure	Water Damage Electrocution	<ol> <li>If water is detected in the pressure hold, the power must be cut immediately (via main control or kill switch on control box).</li> <li>Pressure hold must be completely sealed at all times in-water.</li> </ol>	Pilots
	In-operation Personal Protection	Electrocution  Pinching or catching of hair, fingers, or clothing  Falling/slipping  Drowning	<ol> <li>Ensure that all members have proper PPE and attire.</li> <li>Do not touch the ROV in-operation unless power has been cut.</li> <li>No running is allowed near the pool.</li> </ol>	Observers, Pilots
	ROV Retrieval	Electrocution Back, shoulder,	<b>1</b> .Have recovery equipment (pole, net, etc.) handy and easy to access.	Deployment Team

and/or arm strain	<b>2.</b> Ensure power has been cut/turned off before handling the ROV.	
Hand/skin injury	<ul> <li>3. When moving ROV, squat down by bending at the knees, not the waist.</li> <li>4. Make careful, slow movements.</li> <li>5. Avoid overexertion by moving in teams if needed.</li> <li>6. Have a spotter to ensure the path of movement is clear when moving heavy objects.</li> </ul>	